

HOLLOW METAL FRAMES

ORDER FORM

QUOTE REQUEST

First Name:	
Last Name:	
Company Type:	
Company:	
Address1:	
Address2:	
City:	
State:	
ZIP:	
TEL:	
FAX:	
Project Name:	
Project Location:	


INDICATE QUOTE REQUEST OR ORDER FORM

Complete above required fields & the applicable following pages then submit as attachment and email to <u>sales@nextdoorco.com</u> or FAX to 954 772-8466.

ADDITIONAL NOTES:

NEXT DOOR COMPANY 3 SIDED HOLLOW METAL FRAME ORDER FORM			
QTY: TAG:			
SWING: LH RH CASED OPG LHA RHA BOTH ACT LH/LH DE RH/RH DE GAUGE: 16 14 12 A60			
CORNER: STANDARD FACE WELD NO VISIBLE SEAM KDPF KNOCK DOWN PRESSURE FIT KNOCK DOWN FULL THROAT WELD	JAMB OPENING WIDTH		
	FRAME BOTTOM		
 MASONRY T ANCHORS MASONRY WIRE ANCHORS EXISTING WALL ANCHORS WITH BOLTS CONCEALED XB WITH BOLTS METAL STUD WOOD STUD STUD SIZE: 	TRIM		
FIRE: UL UL FRAMES ARE RATED 90 MINUTES IN DRYWALL AND 180 MINUTES IN MASONRY			
HARDWARE INCLUDE TEMPLATES HINGES: MODEL: SIZE:	I - HIGM BWIDTH		
STRIKE: MODEL: SIZE:			
CLOSER: MFR: MODEL: FLUSH MFR: MODEL: BOLT: MFR: MODEL:			
PUNCH FOR SILENCERS: YES NO LOCATIONS: NEXT DOOR STANDARD STEELCRAFT CECO CURRIES PIONEER MESKER SEE FORM:	TRIM		
NOTES			

NEXT DOOR COMPANY SECTION FORM



NEXT DOOR COMPANY LOCATIONS FORM

FORM:

