

Order Form for Hollow Metal Frames

First Name:	
Last Name:	
Company Type:	
Company:	
Address 1:	
Address 2:	
City:	
State:	
ZIP:	
Phone:	
Fax:	
Project Name:	
Project Location:	

Additional Notes:

Order Form for Hollow Metal Frames

QTY: _____ TAG: _____

SWING: LH RH CASED OPG
 LHA RHA BOTH ACT
 LH/LH DE RH/RH DE

GAUGE: 16 14 12 A60

CORNER:

- STANDARD FACE WELD NO VISIBLE SEAM
- KDPF KNOCK DOWN PRESSURE FIT
- KNOCK DOWN
- FULL THROATWELD

ANCHORS:

- MASONRY TANCHORS
- MASONRY WIRE ANCHORS
- EXISTING WALL ANCHORS WITH BOLTS
- CONCEALED XB WITH BOLTS
- METAL STUD
- WOOD STUD STUD SIZE: _____

FIRE: UL

UL FRAMES ARE RATED 90 MINUTES IN DRYWALL AND 180 MINUTES IN MASONRY

HARDWARE

INCLUDE TEMPLATES

HINGES: MODEL: _____ SIZE: _____




STRIKE: MODEL: _____ SIZE: _____

CLOSER: MFR: _____ MODEL: _____

FLUSH BOLT: MFR: _____ MODEL: _____

PUNCH FOR SILENCERS: YES NO

- LOCATIONS:
- NEXT DOOR STANDARD
 - STEELCRAFT CECO
 - CURRIES PIONEER
 - MESKER SEE FORM: _____










TRIM

OTHER SEE FORM: _____

Order Form for Hollow Metal Frames

FORM:

SELECT ONE PROFILE AND FILL IN THE JAMB WIDTH AND TRIM DIMENSIONS



Page 3

Order Form for Hollow Metal Frames

